

NAME

archive_read_next_header, **archive_read_next_header2** — functions for reading streaming archives

LIBRARY

Streaming Archive Library (libarchive, -larchive)

SYNOPSIS

```
#include <archive.h>

int
archive_read_next_header(struct archive *, struct archive_entry **);

int
archive_read_next_header2(struct archive *, struct archive_entry *);
```

DESCRIPTION

archive_read_next_header()

Read the header for the next entry and return a pointer to a struct archive_entry. This is a convenience wrapper around **archive_read_next_header2()** that reuses an internal struct archive_entry object for each request.

archive_read_next_header2()

Read the header for the next entry and populate the provided struct archive_entry.

RETURN VALUES

These functions return **ARCHIVE_OK** (the operation succeeded), **ARCHIVE_WARN** (the operation succeeded but a non-critical error was encountered), **ARCHIVE_EOF** (end-of-archive was encountered), **ARCHIVE_RETRY** (the operation failed but can be retried), and **ARCHIVE_FATAL** (there was a fatal error; the archive should be closed immediately).

ERRORS

Detailed error codes and textual descriptions are available from the **archive_errno()** and **archive_error_string()** functions.

SEE ALSO

tar(1), archive_read(3), archive_read_data(3), archive_read_extract(3), archive_read_filter(3), archive_read_format(3), archive_read_open(3), archive_read_set_options(3), archive_util(3), libarchive(3), tar(5)